

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: @pd<20030930 and L228

Display: 10 **Documents in Display Format:** - **Starting with Number** 1

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Saturday, December 22, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L229	@pd<20030930 and L228	50	L229
L228	(multiplex\$3 or encod\$3 or (media or dvd) near player) and L227	310	L228
L227	(device or profile or configuration or settings or preferences) near capabilit\$3 same (identifier or guid or globally near identifier)	602	L227
L226	20030097458	2	L226
L225	L183 and L222	25	L225
L224	@pd<20030930 and L223	85	L224
L223	(profile or configuration or settings or preferences) near capabilit\$3 and L222	251	L223
L222	L220 or L217 or L221	44469	L222
L221	(709/231).ccls.	2217	L221
L220	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/104.1).ccls.	33199	L220
L219	@pd<20030930 and L218	40	L219
L218	L216 and L217	100	L218

(725/87 |725/88 |725/89 |725/90 |725/91 |725/92 |725/93 |725/94 |725/95 |725/96

	725/97 725/98 725/99 725/100 725/101 725/102 725/103 725/104 725/105 725/106 725/107 725/108 725/109 725/110 725/111 725/112 725/113 725/114 725/115 725/116 725/117 725/118 725/119 725/120 725/121	
<u>L217</u>	725/122 725/123 725/124 725/125 725/126 725/127 725/128 725/129 725/130 725/131 725/132 725/133 725/134 725/135 725/136 725/137 725/138 725/139 725/140 725/141 725/142 725/143 725/144 725/145 725/146 725/147 725/148 725/149 725/150).ccls.	9392 <u>L217</u>
<u>L216</u>	profile with (dvd or encod\$3 or decod\$3)	6616 <u>L216</u>
<u>L215</u>	(register\$6 or discover\$3) near capabilit\$3 with(endcod\$3 or decod\$3 or \$3multiplex\$3 or packetizer)	29 <u>L215</u>
<u>L214</u>	L211 and L213	4 <u>L214</u>
<u>L213</u>	((choos\$3 or retriev\$3 or select\$3 or determin\$3 or register\$6 or discover\$3) near capabilit\$3)	19632 <u>L213</u>
<u>L212</u>	L203 and L211	1 <u>L212</u>
<u>L211</u>	profile near (endcod\$3 or decod\$3 or \$3multiplex\$3)	241 <u>L211</u>
	<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>	
<u>L210</u>	GATES-MATTHIJS-A!	36 <u>L210</u>
<u>L209</u>	MESSMER-WILLIAM-R!	2 <u>L209</u>
<u>L208</u>	EVANS-GLENN-F!	80 <u>L208</u>
<u>L207</u>	EVANS-GLENN-F!	80 <u>L207</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<u>L206</u>	L204 and L205	36 <u>L206</u>
<u>L205</u>	(endcod\$3 or decod\$3) and \$3multiplex\$3	125972 <u>L205</u>
<u>L204</u>	@pd<20030930 and L203	246 <u>L204</u>
<u>L203</u>	(digital or multimedia) with ((choos\$3 or retriev\$3 or select\$3 or determin\$3 or register\$6 or discover\$3) near capabilit\$3)	450 <u>L203</u>
<u>L202</u>	(discover\$3 or register\$6) near (component or endcod\$3 or decod\$3 or \$3multiplex\$3) with ((digital near (content or media)) or multimedia)	14 <u>L202</u>
<u>L201</u>	((digital near (content or media)) or multimedia) with ((choos\$3 or retriev\$3 or select\$3 or determin\$3) near capabilit\$3)	86 <u>L201</u>
<u>L200</u>	((digital near (content or media)) or multimedia) with ((select\$3 or determin\$3) near capabilit\$3)	59 <u>L200</u>
<u>L199</u>	((digital near (content or media)) or multimedia) with ((select\$3 or determin\$3) near (resource near capabilit\$3))	0 <u>L199</u>
<u>L198</u>	(request or client or application) with (select\$3 or determin\$3) near resource near capabilit\$3	10 <u>L198</u>
<u>L197</u>	L192 and L196	14 <u>L197</u>
<u>L196</u>	(select\$3 or choos\$3 or find\$3 or locat43) with (configur\$5 near setting)	1522 <u>L196</u>
<u>L195</u>	L192 and L194	0 <u>L195</u>
<u>L194</u>	(select\$3 or choos\$3 or find\$3 or locat43) near (configur\$5 near setting)	321 <u>L194</u>
<u>L193</u>	L189 and L192	53 <u>L193</u>
<u>L192</u>	(select\$3 or choos\$3 or find\$3 or locat43) near encod\$3	15833 <u>L192</u>
<u>L191</u>	L189 and L190	0 <u>L191</u>
<u>L190</u>	(select\$3 or choos\$3 or find\$3 or locat43) near ((audio or video) near encod\$3)	317 <u>L190</u>

<u>L189</u>	((configur\$5 near setting) with (profile or table or schema or list or database or stor\$3 or register))	3670	<u>L189</u>
<u>L188</u>	((configur\$5 near setting) with (profile or table or schema or list or database or stor\$3))	3192	<u>L188</u>
<u>L187</u>	((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3) with capability	56	<u>L187</u>
<u>L186</u>	L185 and ((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3)	12	<u>L186</u>
<u>L185</u>	capabilit\$3 near (profile or preference)	1099	<u>L185</u>
<u>L184</u>	@pd<20030930 and L183	190	<u>L184</u>
<u>L183</u>	capabilit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) and ((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3)	333	<u>L183</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L182</u>	'5805821'.pn.		<u>1L182</u>
<u>L181</u>	'5892767'.pn.		<u>1L181</u>
<u>L180</u>	'5892767'.pn.		<u>1L180</u>
<u>L179</u>	'5925104'.pn.		<u>1L179</u>
<u>L178</u>	'5928330'.pn.		<u>1L178</u>
<u>L177</u>	'5953506'.pn.		<u>1L177</u>
<u>L176</u>	'6018619'.pn.		<u>1L176</u>
<u>L175</u>	'6154778'.pn.		<u>1L175</u>
<u>L174</u>	'6185625'.pn.		<u>1L174</u>
<u>L173</u>	'6185625'.pn.		<u>1L173</u>
<u>L172</u>	'6240243'.pn.		<u>1L172</u>
<u>L171</u>	'6279040'.pn.		<u>1L171</u>
<u>L170</u>	'6279040'.pn.		<u>1L170</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L169</u>	@pd<20030930 and L168	95	<u>L169</u>
<u>L168</u>	capabilit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) with encod\$	213	<u>L168</u>
<u>L167</u>	capabilit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) with ((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3)	5	<u>L167</u>
<u>L166</u>	capablit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) and ((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3)	0	<u>L166</u>
<u>L165</u>	capablit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) with encod\$3	0	<u>L165</u>
<u>L164</u>	capablit\$3 near (table or list or array or database or stor\$3 or queu\$3 or register) with ((select\$3 or choos\$3 or locat\$3 or find\$3) near encod\$3)	0	<u>L164</u>
<u>L163</u>	L161 and L162	32	<u>L163</u>
<u>L162</u>	(select\$3 or choos\$3 or find\$3 or locat\$3 or search\$3) near encod\$3	19525	<u>L162</u>
<u>L161</u>	capability near (list or schema or database)	2227	<u>L161</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L160</u>	'5802058'.pn.		<u>1L160</u>
<u>L159</u>	'5941953'.pn.		<u>1L159</u>
<u>L158</u>	'6078942'.pn.		<u>1L158</u>

<u>L157</u> '6725279'.pn.	1L157
<u>L156</u> '6725279'.pn.	1L156
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<u>L155</u> configuration with (select\$3 or choos\$3 or find\$3 or locat\$3 or search\$3) near encod\$3	121 <u>L155</u>
<u>L154</u> (api or application near interface) and L153	110 <u>L154</u>
<u>L153</u> multiplex\$3 and L152	369 <u>L153</u>
<u>L152</u> (scal\$3 or encod\$3) near server	1876 <u>L152</u>
<u>L151</u> (api or application near interface) and L150	88 <u>L151</u>
<u>L150</u> multiplex\$3 and (creat\$3 or construct\$3) near encod\$3	2396 <u>L150</u>
<u>L149</u> (api or application near interface) and L144	12 <u>L149</u>
<u>L148</u> (api or application near interface) and L147	5L148
<u>L147</u> capability and L146	254 <u>L147</u>
<u>L146</u> multiplex\$3 and L145	475 <u>L146</u>
<u>L145</u> @pd<20030930 and L144	475 <u>L145</u>
<u>L144</u> multiplex\$3 and register\$6 near encod\$3	826 <u>L144</u>
<u>L143</u> multiplex\$3 and L142	74 <u>L143</u>
<u>L142</u> @pd<20030930 and L141	170 <u>L142</u>
<u>L141</u> L139 and L140	228 <u>L141</u>
<u>L140</u> (select\$3 or choos\$3 or find\$3 or locat\$3 or search\$3) near (encod\$3 or format\$3)	49936 <u>L140</u>
<u>L139</u> register\$6 near (encod\$3 or formatter)	2143 <u>L139</u>
<u>L138</u> @pd<20030930 and L137	83 <u>L138</u>
<u>L137</u> (capability near (list or schema or stor\$3)) with encod\$3	182 <u>L137</u>
<u>L136</u> (select\$3 or search\$3 or look\$1up) near (profile or preference) and L134	12 <u>L136</u>
<u>L135</u> L105 and L134	0L135
<u>L134</u> @pd<20030930 and L133	628 <u>L134</u>
<u>L133</u> L132 and multiplex\$	1091 <u>L133</u>
<u>L132</u> (video or audio or encod\$3) with (select\$3 or choos\$3 or look\$1up or match\$3 or compar\$5) near (device)	7079 <u>L132</u>
<u>L131</u> (video and audio) near encod\$3 with (select\$3 or choos\$3 or look\$1up or match\$3 or compar\$5) near (device)	8L131
<u>L130</u> (video and audio) near encod\$3 and (select\$3 or choos\$3 or look\$1up or match\$3 or compar\$5) near (component near register or register)	75 <u>L130</u>
<u>L129</u> video and audio and encod\$3 and multiplex\$3 and L128	38 <u>L129</u>
<u>L128</u> L118 and L127	559 <u>L128</u>
<u>L127</u> (select\$3 or choos\$3 or look\$1up) near (capabilit\$3 or component)	110949 <u>L127</u>
<u>L126</u> video and audio and encod\$3 and multiplex\$3 and L125	32 <u>L126</u>
<u>L125</u> L105 and L118	281 <u>L125</u>
<u>L124</u> (preference or profile or capabilit\$3) near2 (guid)	37 <u>L124</u>
<u>L123</u> L121 and L122	51 <u>L123</u>
<u>L122</u> (preference or profile) near2 capabilit\$3	2201 <u>L122</u>

<u>L121</u>	video and audio and encod\$3 and multiplex\$3 and L118	356	<u>L121</u>
<u>L120</u>	L115 and L118	41	<u>L120</u>
<u>L119</u>	L94 and L118	4	<u>L119</u>
<u>L118</u>	(compar\$5 or match\$3 or determin\$3) with ((profile or preference) and capabilit\$3)	6631	<u>L118</u>
<u>L117</u>	L112 and L97	23	<u>L117</u>
<u>L116</u>	L112 and L115	1	<u>L116</u>
<u>L115</u>	(cd or dvd) near (profile or preference or encod\$3)	2951	<u>L115</u>
<u>L114</u>	video and audio and encod\$3 and multiplex\$3 and L112	22	<u>L114</u>
<u>L113</u>	L94 and L112	1	<u>L113</u>
<u>L112</u>	capability adj list	400	<u>L112</u>
<u>L111</u>	(profile or preference) near(stor\$3 or database or table or schema) and (capability) near list	62	<u>L111</u>
<u>L110</u>	encod\$3 and L109	81	<u>L110</u>
<u>L109</u>	L108 and audio and video	136	<u>L109</u>
<u>L108</u>	(profile or preference) and (stor\$3 or database or table or schema) and (capability) near list	332	<u>L108</u>
<u>L107</u>	((video and audio) near encod\$3) and L105	7	<u>L107</u>
<u>L106</u>	L94 and L105	1	<u>L106</u>
<u>L105</u>	((profile or preference) and (capability)) near (list or stor\$3 or database or table or schema)	1078	<u>L105</u>
<u>L104</u>	((profile or preference) and (capability)) near (stor\$3 or database or table or schema)	993	<u>L104</u>
<u>L103</u>	encod\$3 and L102	57	<u>L103</u>
<u>L102</u>	(profile or preference) near (audio and video)	78	<u>L102</u>
<u>L101</u>	L94 and L97	59	<u>L101</u>
<u>L100</u>	L94 and L99	2	<u>L100</u>
<u>L99</u>	L97 and L98	89	<u>L99</u>
<u>L98</u>	(profile or preference) near (dvd or cd)	627	<u>L98</u>
<u>L97</u>	(select\$3 or choos\$3 or look\$1up or match\$3 or compar\$5) near (profile or preference)	37077	<u>L97</u>
<u>L96</u>	L91 and (profile or preference)	2	<u>L96</u>
<u>L95</u>	L92 and L94	46	<u>L95</u>
<u>L94</u>	((video and audio) near encod\$3) and multiplex\$3)	3083	<u>L94</u>
<u>L93</u>	L91 and L92	0	<u>L93</u>
<u>L92</u>	(profile or preference) near encod\$3	677	<u>L92</u>
<u>L91</u>	((video and audio) near encod\$3) and multiplex\$3).ab,ti.	198	<u>L91</u>
<u>L90</u>	L88 and L89	22	<u>L90</u>
<u>L89</u>	capabilit\$3 near (digital near media or \$3multiplexers or packetizer or encoder or decoders)	855	<u>L89</u>
<u>L88</u>	(find\$3 or search\$3 or look\$1up) with capabilit\$3	16055	<u>L88</u>
<u>L87</u>	L85 and L86	6	<u>L87</u>
	(profile or preference) with (\$3multiplexers or packetizer or encoder or		

<u>L86</u> decoders)	2051	<u>L86</u>
<u>L85</u> ((report\$3 or determin\$3 or request\$3) near capabilit\$3) with (\$3multiplexers or packetizer or encoder or decoders)	100	<u>L85</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L84</u> '5953506'.pn.	1	<u>L84</u>
<u>L83</u> '5953506'.pn.	1	<u>L83</u>
<u>L82</u> '6043837'.pn.	1	<u>L82</u>
<u>L81</u> '6167441'.pn.	1	<u>L81</u>
<u>L80</u> '6167441'.pn.	1	<u>L80</u>
<u>L79</u> '6260021'.pn.	1	<u>L79</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L78</u> 6470378.pn.	2	<u>L78</u>
<u>L77</u> digital near media and L76	44	<u>L77</u>
<u>L76</u> (identif\$6 or guid or key or sub\$1key) with device near capabilit\$3	826	<u>L76</u>
<u>L75</u> (identif\$6 or guid or key or sub\$1key) with capabilit\$3	27247	<u>L75</u>
<u>L74</u> digital near media and L73	61	<u>L74</u>
<u>L73</u> ((high or low) near (level or quality)) near encod\$3	976	<u>L73</u>
<u>L72</u> ((high or low) near (level or quality)) with encod\$3	12808	<u>L72</u>
<u>L71</u> (profile or preference) with capabilit\$3 and L70	16	<u>L71</u>
<u>L70</u> (high or low) near encod\$3	7632	<u>L70</u>
<u>L69</u> (profile with capabilit\$3) same (api or application near interface)	64	<u>L69</u>
<u>L68</u> (multiplex\$3 with (capabilit\$3 or configur\$5)) same (api or application near interface)	30	<u>L68</u>
<u>L67</u> profile same (multiplexer near (object or component))	3	<u>L67</u>
<u>L66</u> (profile with (multiplexer and encoder))	40	<u>L66</u>
<u>L65</u> (multiplex\$3 with (settings or configurat\$3)) same (api or application near interface)	12	<u>L65</u>
<u>L64</u> (multiplexer with (settings or configuration)) same (api or application near interface)	6	<u>L64</u>
<u>L63</u> video and audio and L62	139	<u>L63</u>
<u>L62</u> L60 and L61	444	<u>L62</u>
<u>L61</u> (profile with (capabilit\$3 or configuration))	39693	<u>L61</u>
<u>L60</u> ((search\$3 or look\$3 or retriev\$3 or select\$3 or choos\$3) with (multiplexer or encoder))	93604	<u>L60</u>
<u>L59</u> ((search\$3 or look\$3 or retriev\$3) with encoder) same (profile)	57	<u>L59</u>
<u>L58</u> video and audio and L57	53	<u>L58</u>
<u>L57</u> multiplex\$3 and L55	257	<u>L57</u>
<u>L56</u> (configur\$5 or settings) with multiplexer same (api or application near interface)	6	<u>L56</u>
<u>L55</u> ((search\$3 or look\$3 or retriev\$3) with encoder) same (register or profile)	596	<u>L55</u>
<u>L54</u> profile with capabilit\$3 and (video and audio) near encoder and multiplex\$3	7	<u>L54</u>
<u>L53</u> profile and L51	96	<u>L53</u>
<u>L52</u> L48 and L51	7	<u>L52</u>

L51	(video and audio) near encod\$3 same multiplex\$3	1417	L51
L50	L49 and (dll or api or application near interface)	140	L50
L49	L47 and L48	321	L49
L48	profile with capabilit\$3	7823	L48
L47	multiplex\$3 with (video or audio or streams or packet)	67012	L47
L46	profile and L45	11	L46
L45	((set\$4 or configur\$5) with multiplexer) same (dll or api or application near interface)	144	L45
L44	encod\$3 near1 multiplex\$3 and L43	9	L44
L43	((search\$3 or look\$1up) with profile)	11348	L43
L42	((search\$3 or look\$1up) with profile) same multiplex\$3	53	L42
L41	profile same capabilit\$3 and L39	17	L41
L40	profile with capabilit\$3 and L39	4	L40
L39	(map\$4 near (request or query)) same (profile or register)	224	L39
L38	(multiplex\$3 or encod\$3 or (media or dvd) near player) and L36	94	L38
L37	(multiplexer or encoder or (media or dvd) near player) and L36	36	L37
L36	@pd<20030930 and L35	201	L36
L35	((configurat\$3 or characteristics or capabilit\$3) near (device or profile)) same (api or application near interface)	755	L35
L34	profile and L33	49	L34
L33	@pd<20030930 and L32	323	L33
L32	((configurat\$3 or characteristics or capabilit\$3) near (device or profile)) same (multiplexer or encoder)	599	L32
L31	(configurat\$3 or characteristics or capabilit\$3) near profile same (multiplexer or encoder)	27	L31
L30	(video or audio) and L28	138	L30
L29	(media or dvd) near player and L28	5	L29
L28	@pd<20030930 and L27	338	L28
L27	(multiplexer or encoder) and L7	654	L27
L26	(multiplex\$3 and encod\$3) and L24	80	L26
L25	(api or application near interface) and L24	12	L25
L24	(video and audio) and L23	218	L24
L23	@pd<20030930 and L22	751	L23
L22	profile and L21	1613	L22
L21	(look\$1up or search\$3 or find\$3 or select\$3) near (multiplexer or encoder)	24473	L21
L20	118 and L19	15	L20
L19	(look\$1up or search\$3 or find\$3 or select\$3) with (multiplexer or encoder)	91225	L19
L18	(media or dvd) near player same profile	423	L18
L17	@pd<20030930 and L16	13	L17
L16	(media or dvd) near player with profile	152	L16
L15	multiplex\$3 and L14	55	L15
L14	dvd near player same profile	202	L14

<u>L13</u>	l9 and L12	137	<u>L13</u>
<u>L12</u>	dvd same profile	1292	<u>L12</u>
<u>L11</u>	dvd with profile	394	<u>L11</u>
<u>L10</u>	l7 and L9	70	<u>L10</u>
<u>L9</u>	(video or audio) with multiplex\$3	35436	<u>L9</u>
<u>L8</u>	l6 and L7	7	<u>L8</u>
<u>L7</u>	(configurat\$3 or characteristics or capabilit\$3) near profile	11936	<u>L7</u>
<u>L6</u>	(look\$1up or search\$3 or find\$3) with (multiplexer or encoder)	9117	<u>L6</u>
<u>L5</u>	(look\$1up or search\$3 or find\$3) with (multiplexer or encoder) same profile	38L5	<u>L5</u>
<u>L4</u>	l2 and L3	136	<u>L4</u>
<u>L3</u>	multiplex\$3 with profile	1591	<u>L3</u>
<u>L2</u>	(video or audio) with multiplex\$3 and profile	2518	<u>L2</u>
<u>L1</u>	20050086354	2	<u>L1</u>

END OF SEARCH HISTORY